SCOPE OF WORKS
SCOPE OF WORKS
FOR PROPOSED REFURBISHING AND UPGRADING WORKS
TO ST. ANN'S BAY (ST. ANN PARISH COURT)

					SCOPE OF WORKS
TEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	Scope of Works				
	The following is a brief description of the special conditions and intended Scope of Works as is required by the Ministry of Justice Project Coordinator.				
A	Purpose of Works				
	The purpose of the proposed renovation and upgrading works to be carried out is to modernize the court building to impove the Jamaica Justice System The works to be carried out involve;				
	(a) External and internal painting (b) Fixing and replacement of all existing windows and doors (c) Fixing and replacement of plumbing fixture and water supply installation (d) Replacement of ceiling fans				
	(e) Refinishing of wooden floors (f) Extensive refinishing of concrete or terazzo floors				
	(g) Reburbrishing of courtroom furniture (h) Fixing of suspended ceilings				
В	Site Restrictions ;				
	(a) Movement of personel				
	(b) Silent zone (throughout the day)				
С	Special Considerations:				
	(a) Night work will be required				
	(b) Storage of material, and equipment				
	(c) Estimate subjected to review after three months				
D	Safety requirements:				
	(a) PPE				
	(b) Safety boots, Hard hat, visibility vest etc. (c) Clean site regularly to maintain a safe & healthy environment for works and the public.				
	Duration: 16 weeks				
	SCOPE OF WORKS BQ/SOW/ 1				1
	•				

ITEM	DESCRIPTION	QUANTITY	UNIT	RATE	AMOUNT
	A-GENERAL PRELIMINARY ITEMS				\$
A	Maintenance of offices for the engineering staff		Sum		
В	Services Electrical Services		Sum		
C	Water for the works		Sum		
	Supervision and Management				
	Management and supervision for the duration of the project		Sum		
E	<u>Safety</u> Scaffolding		sum		
F	Provision of safety equipment and gears Sanitary Convenience		Sum		
G	Establishment and removal of temporary Sanitary Convenience		Sum		
	Maintenance of temporary sanitary convenience		Sum		
J	Cost of insuring any liability of the Employer to be inculded in the Contract Sum limit of liability shall be \$5,000,000.00 for any one incident. The number of incidents shall be unlimited		Sum		

	A-GENERAL PRELIMINARY ITEMS			
	Works Yard, Sheds for Storage and Changing Facilities			
A	Establish works yard temporary sheds	Su	ım	
	Maintenance of works yard, temporary sheds	Su	ım	
	Watching & Lighting			
C	Include for providing watchmen, protective lighting, guards,	Su	um	
	Programme & Progress Charts			
	Allow for programme and progress charts	Su	ım	
	A-GENERAL PRELIMINARY ITEMS	CARRY TO SUMMAR		

DEMOLITION AND SITE CLEARANCE

					DEMOLITION
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	D DEMOLITION AND SITE CLEARANCE B20 Alterations - Spot Items				
	Carefully remove the following defective sanitary fittings and fixtures from restrooms including removal from site to approved dump				
	Ground Floor				
A	Toilets (3 no)		Item		
В	Face Basin (3 no.)		Item		
	Carefully remove the following defective plumbing installation fittings and fixtures from restrooms including removal from site to approved dump Ground Floor				
C	Angles stops, flex tube and other fitting connecting fixtures to water supply system		Item		
	Breaking out and removing terazzo floor tiles (approx. 20mm thick) including carting away to onsite dump and removal of spoil to approved off site dump				
	Ground Floor				
D	Court rooms, restrooms, judges' chambers, jury room and common areas (approx. 153.000 m2)		Item		
	Breaking out and removing defective floor boards including carting away to onsite dump and removal of spoil to approved off site dump		Item		
	<u>First Floor</u>				
E	Court rooms, restrooms, judges' chambers, jury room and common areas (approx. 120.600 m2)		Item		
	SPOT ITEMS BQ/D/ 1	T	o Collectio	on BQ/D/ Page 3	\$ -
		1,	Conceil		_
					DEMOLITION

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	D DEMOLITION AND SITE CLEARANCE Cont'd B20 Alterations - Spot Items Cont'd				
A	Demounting and removal of defective windows shades (15 no.) including card away and disposal to approved off site dump		Item		
В	Demounting of ceiling fans including disposal to approved offsite dump (4no.)		Item		
	Supply all necessary cleaning agents, protective gears and equipment including power washing walls and floors to remove built up grease, dirt and the like to sanitize restrooms:				
	Ground Floor				
С	Blockwalls (approx. 32.300 m2)		Item		
D	Conrete Floors (approx. 18.000 m2)		Item		
	<u>First Floor</u>				
Е	Blockwalls and floors (approx. 13.000 m2)		Item		
F	Wooden floors (approx. 2.000 m2)		Item		
	External walls				
G	Brickwork (approx. 419 m2)		Item		
	Surface treatment applying pesticides (termite trearment) to the surface of excavation to give a minimum 7 years gaurantee				
Н	Perimeter of Building		Item		
	SPOT ITEMS BQ/D/ 2	T	o Colle	ction BQ/D/ Page 3	
					DEMOLITION

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	D DEMOLITION AND SITE CLEARANCE Cont'd B20 Alterations - Spot Items Cont'd				
	Collection 1				
	Total from BQ/D/ Page 1				
	Total from BQ/D/ Page 2				
	SPOT ITEMS BQ/D/ 3		To G	eneral Summary	
				Page BQ/GS/ 1	

GROUND FLOOR

					GROUND FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	JOINERY WORK M JOINERY AND HARDWARE M10 Floors and Skirting				
	Sand and polish timber surfaces include repairs and making good to defective floors				
	Court Room #2				
A	Judge's platform	5	m2		
В	Witness platform	1	m2		
С	Prisoners' dock	2	m2		
	<u>Clerk's Office</u>				
D	Floors	59	m2		
	<u>File Room # 1</u>				
Е	Floors	24	m2		
	File Room # 2				
F	Floors	25	m2		
	M40 Linings and Finishings				
	Sand and polish timber surfaces including repairs and making good to the folllowing surfaces				
G	Architraves	14	m2		
Н	Supply and install window sills (size 1905mm x 279mm)	10	No.		
	JOINERY WORK BQ/J/ 1	7	To Collec	etion BQ/J/ Page 3	

<u>m</u>	DESCRIPTION JOINERY WORK M JOINERY AND HARDWARE M50 Joinery Sundries/ Fittings Sand and polish timber surfaces including repairs and making good to the following surfaces	QTY	UNIT	RATE	AMOUNT Ja\$
<u>m</u>	M JOINERY AND HARDWARE M50 Joinery Sundries/ Fittings Sand and polish timber surfaces including repairs and				
<u>m</u>	M50 Joinery Sundries/ Fittings Sand and polish timber surfaces including repairs and				
<u>m</u>	Sand and polish timber surfaces including repairs and				
<u>m</u>					
<u>c</u>	naking good to the folllowing surfaces				
	Court Room # 2				
<u>B</u>	Benches Wooden				
A 3	8048mm length x 381mm wide x 914mm height	1	No.		
В 2	2286mm length x 381mm wide x 914mm height	2	No.		
C 2	2134mm length x 381mm wide x 914mm height	4	No.		
	981mm length x 381mm wide x 914mm height	3	No.		
	Tables Wooden				
E 2	2057mm length x 838mm wide x 787mm height	1	No.		
	2037/min length x 636/min wide x 767/min height	1	NO.		
F 1	219mm length x 762mm wide x 762mm height	1	No.		
L	Desk				
G 3	3048mm length x 381mm wide x 762mm height wooden				
<u>E</u>	Entrance / Waiting Area				
Н 3	3048mm length x 381mm wide x 914mm height	10	No.		
	M61 Timber Stairs and Balustrade				
	Sand and polish timber surfaces including repairs and naking good to the folllowing surfaces				
<u>c</u>	Court Room #1				
J Jı	udge's Platform balustrade	10	m2		
K P	Prisoners platform balustrade	8	m2		
L V	Witness box platform balustrade	2	m2		
	JOINERY WORK BQ/J/ 2	ī	To Collec	tion BQ/J/ Page 3	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	JOINERY WORK				
	Collection 1				
	Total from BQ/J/ Page 1				
	Total from BQ/J/ Page 2				
	JOINERY WORK BQ/J/ 3		То С	eneral Summary	
	JOHNERT WORK BUJJE	,	100	Page BQ/GS/ 1	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	DOORS AND WINDOWS				
	<u>M JOINERY AND HARDWARE</u>				
	M 40 Doors and Windows				
	Supply and install anodised aluminum plain projecting and fixed casement window units with 6mm thick double glazed with frosted glasses to the following rooms (provisional descriptions)				
	Court Room # 2				
A	Opening size 1499mm wide x 2023mm high windows	2	No.		
	Court Room #3 (Petty Session & Accs Department)				
В	Opening size 1499mm wide x 2023mm high windows	4	No.		
	File Room				
C	Opening size 1499mm wide x 2023mm high windows	2	No.		
	Clerk's Office Space				
D	Opening size 1499mm wide x 2023mm high windows	4	No.		
	Entance / Waiting Area				
E	1067mm wide x 2642mm high windows	4	No.		
	Staff Restroom				
F	Opening size 1499mm wide x 2023mm high windows	1	No.		
	<u>Transome</u>				
G	Supply and install 1372mm wide x 813mm high semicircular anodised aluminum plain fixed casement transome units with 6mm thick double glazed with frosted glasses (provisional descriptions)	2	No.		
	WINDOWS AND DOORS BQ/WD/ 1	То	Collection	n BQ/WD/ Page 3	

DESCRIPTION QTY UNIT RATE AMOU	D FLOOR	GROUND						
M JOINERY AND HARDWARE M 40 Doors and Windows Doors Prepare and apply painting to the following surface: A Doors girth greater than 300mm 10 m2 B Door Jambs and linings isolated surface girths less than or equal to 300mm. 32 m Prepare and apply stain to the following surfaces;	JNT Ja\$	AMOUN	E	RAT	UNIT	QTY		ITEM
M 40 Doors and Windows Doors Prepare and apply painting to the following surface; A Doors girth greater than 300mm 10 m2 B Door Jambs and linings isolated surface girths less than or equal to 300mm. 32 m Prepare and apply stain to the following surfaces;								
Prepare and apply painting to the following surface: A Doors girth greater than 300mm 10 m2 B Door Jambs and linings isolated surface girths less than or equal to 300mm. 32 m Prepare and apply stain to the following surfaces;								
Prepare and apply painting to the following surface: A Doors girth greater than 300mm 10 m2 B Door Jambs and linings isolated surface girths less than or equal to 300mm. 32 m Prepare and apply stain to the following surfaces;							M 40 Doors and Windows	
A Doors girth greater than 300mm 10 m2 B Door Jambs and linings isolated surface girths less than or equal to 300mm. 2 m Prepare and apply stain to the following surfaces;							<u>Doors</u>	
B Door Jambs and linings isolated surface girths less than or equal to 300mm. 32 m Prepare and apply stain to the following surfaces;							Prepare and apply painting to the following surface;	
equal to 300mm. Prepare and apply stain to the following surfaces;					m2	10	Doors girth greater than 300mm	A
					m	32		В
C Doors girth greater than 300mm							Prepare and apply stain to the following surfaces;	
					m2	14	Doors girth greater than 300mm	С
WINDOWS AND DOORS BQ/WD/ 2 To Collection BQ/WD/ Page 3			/ Page 3	ion BQ/WD/	Collecti	То	WINDOWS AND DOORS BQ/WD/ 2	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	DOORS AND WINDOWS				
	Collection 2				
	T. 14 DOWN! D. 1				
	Total from BQ/WD/ Page 1				
	Total from PO/WD/ Page 2				
	Total from BQ/WD/ Page 2				
	WINDOWS AND DOORS BQ/WD/3	. [}	To G	eneral Summary	
				Page BQ/GS/ 1	
					<u> </u>

FINISHES

ITEM	DESCRIPTION ELOOD FINISHES	QTY	TINITE		
	ELOOD EINIGHEG	~	UNII	RATE	AMOUNT Ja\$
	<u>FLOOR FINISHES</u> <u>K FLOOR FINISHES</u> <u>K20 Tiling</u>				
	Pocelain floor tiles 12mm thick plain pattern work, 325mm x 325mm tiles laid in grid and seperated using 5mm spacers bedded in dyna bond grey thin-set sanded and dyna 1000 silver grey polymer-modified sanded portland cement tile grout to the following surfaces				
	Court Room # 2				
A	Floors	40	m2		
	Court Room # 3 (Petty Session Court & Accs Dept.)				
В	Floors	36	m2		
	Entrance / Waiting Area				
C	Floors	67	m2		
	Staff Restroom				
D	Floors	11	m2		
	Front Entrance Patio				
Е	Landings non-skid tiles	17	m2		
F	Treads 305mm width non-skid tiles	175	m		
G	Risers 0.178mm width nons-kid tiles	192	m		
Н	Nose trims metal (in 48 No. 1219mm lengths)	192	m		
	FLOOR FINISHES BQ/FF/ 1	То	Collecti	ion BQ/FF/ Page 2	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	FLOOR FINISHES				
	Collection 3				
	Total from BQ/FF/ Page 1				
	FLOOR FINISHES BQ/	FF/ 2	To G	eneral Summary Page BQ/GS/ 1	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	WALL AND CEILING FINISHES				
	<u> Q WALL AND CEILING FINISHES</u>				
	<u>Q20 Rendering</u>				
	Provisional Sum to be used as directed by the Architect/				
	Contract Administrator for rendering cement sand				
	(1:3), 12mm thick in two coats (9mm&3mm) wood float				
	finish to recieve painting				
	Allow provisional sum for rendering and making good to	1	:4		
A	general surfaces of walls.	1	item		
	general surfaces of wans.				
	WALL AND CEILING FINISHES BQ/WC/ 1	То	Collecti	on BQ/WC/ Page 3	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	WALL AND CEILING FINISHES				
	<u> Q WALL AND CEILING FINISHES</u>				
	<u>Q50 Tiling</u>				
A		34	m2		
	WALL AND CEILING FINISHES BQ/WC/ 2	To 0	Collecti	on BQ/WC/ Page 3	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	WALLING AND CEILING FINISHES				
	Collection 4				
	Total from BQ/WC/ Page 1				
	Total from BQ/WC/ Page 2				
	BQ/WC/3		То С	eneral Summary	
	рбі м.С. 2		100	Page BQ/GS/ 1	

					GROUND FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	PAINTING AND DECORATING <u>U PAINTING AND DECORATING</u> <u>U Painting</u> Prepare and apply (2) coats of low sheen emulsion Berger or other equally approved to the following surfaces;				
	Court Room # 2				
A	Concrete or blockwalls	89	m2		
	Court Room # 3 (Petty Session Court & Accs Dept.)				
В	Concrete or blockwalls	88	m2		
С	Dry Walls	93	m2		
	Staff Restroom				
D	Concrete or blockwalls	16	m2		
	Entrance/ Waiting Area				
Е	Concrete or blockwalls	159	m2		
	<u>Clerk's Office Space</u>				
F	Concrete or blockwalls	105	m2		
	<u>File Room #1</u>				
G	Concrete or blockwalls	72	m2		
Н	Dry Walls	28	m2		
	<u>File Room # 2</u>				
J	Concrete or blockwalls	74	m2		
	<u>Holding Cell</u>				
K	Concrete or blockwalls		m2		
	PAINTING AND DECORATING BQ/PD/ 1	То	Collec	tion BQ/PD/ Page 6	

					GROUND FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	PAINTING AND DECORATING <u>U PAINTING AND DECORATING</u> <u>U Painting</u>				
	Prepare and apply (2) coats of low sheen emulsion Berger or other equally approved to the following surfaces;				
	Holding Cell Cont'd				
A	Concrete ceiling	7	m2		
	Prepare and apply two (2) coat oil gloss paint of "Berger 303" or other equally approved to the following wooden surfaces:				
	Court Room # 2				
В	Ceiling wooden	89	m2		
	Court Room #3 (Petty Session Court & Accs Dept.)				
С	Ceiling wooden	89	m2		
	Staff Restroom				
D	Ceiling wooden	89	m2		
	Entrance/ Waiting Area				
Е	Ceiling wooden	89	m2		
F	<u>Clerk's Office Space</u> Ceiling wooden	89	m2		
	File Room #1				
G	Ceiling wooden	89	m2		
	<u>File Room #2</u>				
Н	Ceiling wooden		m2		
	PAINTING AND DECORATING BQ/PD/ 2	То	Collect	tion BQ/PD/ Page 6	

					GROUND FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	PAINTING AND DECORATING				
	<u>U PAINTING AND DECORATING</u>				
	<u>U Painting</u>				
	Prepare and apply two (2) coat oil gloss paint of				
	"Berger 303" or other equally approved to the				
	following wooden surfaces;				
	<u>Holding Cell</u>				
A	Ceiling wooden	89	m2		
	Prepare and apply one (1) primer and one (1) coat oil				
	gloss paint of "Berger 303" or other equally approved				
	to the following wooden surfaces;				
	Entrance/ Waiting Area				
В	Grill to doors	12	m2		
	<u>Holding Cell</u>				
С	Grill Work	3	m2		
	External Painting				
	Prepare and apply (2) coats of low sheen emulsion				
	Berger or other equally approved to the following				
	<u>surfaces;</u>				
D	Concrete or blockwalls	419	m2		
Е	Window mouldings width less than or equal to 300mm	139	m		
	Front Entrance Patio				
	Prepare and apply two (2) coat oil gloss paint of				
	"Berger 303" or other equally approved to the				
	following wooden surfaces;				
F	Ceilings	17	m2		
G	Verge face	2	m2		
	PAINTING AND DECORATING BQ/PD/ 3	То	Collect	ion BQ/PD/ Page 6	

						GROUND FLOOR
ITEM			QTY	UNIT	RATE	AMOUNT Ja\$
	PAINTING AND DECORATING <u>U PAINTING AND DECORATING</u> <u>U Painting</u>					
	Prepare and apply two (2) coat oil gloss paint of "Berger 303" or other equally approved to the following wooden surfaces;	-				
A	Columns square moulded		8	m		
В	Columns circular moulded		16	m		
С	Beams		42	m		
D	Verge board moulded		14	m		
Е	Fascia board moulded		8	m		
F	Eaves soffits		95	m		
	PAINTING AND DECORATING E	3Q/PD/ 4	То	Collect	tion BQ/PD/ Page 6	

					GROUND FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	PAINTING AND DECORATING				
	<u>U PAINTING AND DECORATING</u>				
	<u>U Painting</u>				
	Prepare and apply one (1) coats primer and one (1) coat oil paint of Berger or other equally approved to the following surfaces;				
	External Painting				
A	Metal Columns	468	m		
В	Grill work	226	m2		
C	External stairway grillwork	46	m2		
D	External grill work to windows	84	m2		
Е	Kerb grillwork	70	m2		
	PAINTING AND DECORATING BQ/PD/ 5	То	Collect	tion BQ/PD/ Page 6	

						GROUND FLOOR
ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT Ja\$
	PAINTING AND DECORATING					
	<u>Collection 5</u>					
	Total from BQ/PD/ Page 1					
	Total from BQ/PD/ Page 2					
	Total from BQ/PD/ Page 3					
	Total from BQ/PD/ Page 4					
	Total from BQ/PD/ Page 5					
	PAINTING AND DECORATING E	3Q/PD/ 6		То С	eneral Summary	
	I AINTINO AND DECORATINO E	יין ער זייאל		100	Page BQ/GS/ 1	

PLUMBING INS	TALLATION	
	1	GROUND FLOOR
		GROUND FLOOR

ITEM	DESCRIPTION	OTY UNIT	RATE	AMOUNT Ja\$
	R PLUMBING INSTALLATION (Provisional)			
	R11 Sanitary Installation			
	Sch 40 PVC (DWV) Pipes & Fittings, Cutting Fixing and Installing			
	Staff Restroom			
A	50mm S-Traps with drain pipe	3 No.		
В	Vanity basins w/ pedestal, vitreous china with faucet, stainless steel angle stop valve and flex tube	3 No.		
С	Water Closets, vitreous china low level with tank and bowl, stainless steel angle stop valve and flex tube, bowl wax and floor bolts (flanges measured seperately)	3 No.		
D	Toilet flanges	3 No.		
Е	Toilet paper dispenser brushed stainless steel mini jumbo 250mm	3 No.		
F	6mm thick mirror with 4 no. dome head screws, size 1626mm wide x 762mm high	3 No.		
	R12 Cold Water Installation			
	Sch 80 PVC Pipes & Fittings, Cutting Fixing and			
	Installing			
	Court #3 - Restroom			
	Court #3 - Restroom			
G	12mm Male adapter	6 No.		
Н	12mm diameter 90° elbows	6 No.		
J	12mm toilet flex tubes	3 No.		
K	12mm Basin flex tubes	3 No.		
L	12mm Angle stop valve stainless steel	6 No.		
M	12mm x 100mm length chrome nipples	3 No.		
N	12mm x 75mm length chrome nipples	3 No.		
	PLUMBING INSTALLATION BQ/PL/ 1	To Collec	tion BQ/PL/ page 3	

					GROUND FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	R PLUMBING INSTALLATION (Provisional)				
	R12 Cold Water Installation				
A	Allow for cutting all holes, chases etc. including making good structure and finishes to Cold Water Service		Item		
В	Allow for testing of entire Cold Water Service with an approved testi for re-testing required to the satisfaction of the Contract Administrator.		Item		
С	Testing and comissioning to ensure that the lines are capped off, the line should be pumped to the approved psi and monitored via a gauge attached to the test line, leaks must be identified for rectification, pumps and gauges shall be provided for pressure testing is feasible, otherwise the plumbing specialist shall provide the testing equipment		Item		
D	Sterillizing water supply and distribution pipes by shock chlorination to remove germs, slime, mold, algae or biofilms from pipes		Item		
	PLUMBING INSTALLATION BQ/PL/ 2	To	o Collec	ction BQ/PL/ page 3	

						GROUND FLOOR
ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT Ja\$
	PLUMBING INSTALLATION					
	Collection 6					
	Total from BQ/PL/ Page 1					
	T . 16 . DODY / D					
	Total from BQ/PL/ Page 2					
$\vdash \vdash \vdash$	DI LIMDINIC INICTALI ATION	DO/DI / 2		ТоС	eneral Summary	
	PLUMBING INSTALLATION	BQ/PL/3		10 G	Page BQ/GS/ 1	
					1 460 100/1	

ENGINEERING SERVICES

				ENGINI	EERING SERVICES
ITEM	DESCRIPTION	QTY	UNIT		AMOUNT Ja\$
	S ENGINEERING SERVICES Cont'd S13 Electrical Installation Cont'd				
	Court Room # 2				
A	Supply and install white industrial 3-blade industial fans w/ 56" span	2	No.		
В	Include the provisional sum of \$\frac{\$1,000,000.00}{} for all Electrical Works and make the provision for security installation to be used as directed by the Project Manager.	1	P.s	\$ 1,000,000.00	\$ 1,000,000.00
	ENGINEERING SERVICES BQ/ES/ 1	To	Collec	tion BQ/ES/ page 2	
		-		. 10	

						EERING SERVICES
ITEM	DESCRIPTION		QTY	UNIT		AMOUNT Ja\$
	ENGINEERING SERVICES					
	Collection 8					
	Total from BQ/ES/ Page 1					
	ENGINEERING SERVICES	BQ/ES/ 2		To C	eneral Summary	
	LIVOIVELIMINO SERVICES	DQ/ES/ 2		100	Page BQ/GS/ 1	

FIRST FLOOR

JOINERY WORK

					FIRST FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	JOINERY WORK				
	<u>M JOINERY AND HARDWARE</u>				
	M10 Floos and Skirting				
	Sand and polish timber surfaces include repairs and				
	making good to defective floors				
	Court Roon #1				
Α	Floors	07	m2		
A	Floois	87	1112		
В	Judge's platform	17	m2		
С	Jury's platform	9	m2		
_	***				
D	Witness platform	1	m2		
Е	Lawyers' platform	6	m2		
	Lawyers paulierin	Ü	1112		
F	Prisoners' dock	2	m2		
	Court Room #1 - Judge's Chambers (incld. Restrom)				
		40	2		
G	Floors	40	m2		
	Court Administrator's Office				
	<u> </u>				
Н	Floors	27	m2		
	M40 Linings and Finishings				
	Sand and polish timber surfaces including repairs and				
	making good to the folllowing surfaces				
J	Architraves	14	m2		
		_	N		
K	Supply and install window sills (size 3175mm x 279mm)	7	No.		
L	Supply and install window sills (size 1905mm x 279mm)	3	No.		
	JOINERY WORK BQ/FFJ/ 1	To	Collec	tion BQ/FF/ Page 4	
	= 4,10,1	10		C	

					FIRST FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	JOINERY WORK <u>M JOINERY AND HARDWARE</u>				
	M50 Joinery Sundries/ Fittings				
	Sand and polish timber surfaces including repairs and				
	Court Room #1				
	<u>Benches</u>				
A	3048mm length x 381mm wide x 914mm height wooden	1	No.		
В	2743mm length x 381mm wide x 914mm height wooden	3	No.		
С	2434mm length x 381mm wide x 914mm height wooden	14	No.		
	<u>Tables</u>				
D	1372mm length x 1372mm wide x 747mm height wooden	1	No.		
Е	1829mm length x 813mm wide x 737mm height wooden	1	No.		
	<u>Desk</u>				
F	3048mm length x 381mm wide x 762mm height wooden	2	No.		
	Court Room #1 - Judge's Chambers				
	<u>Tables</u>				
G	1448mm length x 838mm wide x 762mm height wooden	2	No.		
	JOINERY WORK BQ/FFJ/ 2	То	Collec	tion BQ/FF/ Page 4	

ITEM	DESCRIPTION	OTY			
		QIY	UNIT	RATE	AMOUNT Ja\$
	JOINERY WORK				
	M JOINERY AND HARDWARE				
	M61 Timber Stairs and Balustrade				
	Sand and polish timber surfaces including repairs and making good to the folllowing surfaces				
	Court Room #1				
A	Judge's Platform balustrade	4	m2		
В	Jury Platform balustrade	6	m2		
С	Lawyers' platform balustrade	9	m2		
D	Witness box platform balustrade	5	m2		
	JOINERY WORK BQ/FFJ/ 3	3 To	Collec	tion BQ/FF/ Page 4	

						FIRST FLOOR
ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT Ja\$
	JOINERY WORK					
	Collection 1					
	Total from BQ/FFJ/ Page 1					
	Total from BQ/FFJ/ Page 2					
	Total from BQ/FFJ/ Page 3					
	JOINERY WORK	BQ/FFJ/ 4		To G	eneral Summary	
					Page BQ/GS/ 1	

					FIRST FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	WINDOWS AND DOORS				
	M JOINERY AND HARDWARE				
	M 40 DOORS AND WINDOWS				
	Supply and install anodised aluminum plain projecting				
	and fixed casement window units with 6mm thick				
	double glazed with frosted glasses to the following				
	rooms (provisional descriptions)				
	Court Room # 1				
A	Opening size 2667mm wide x 3023mm high windows	1	No.		
В	Opening size 1499mm wide x 2023mm high windows	4	No.		
	Court Room # 1 - Judge's Chambers				
С	Opening size 1499mm wide x 2023mm high windows	4	No.		
	Administrators Office				
D	Opening size 1499mm wide x 2023mm high windows	1	No.		
	<u>Doors</u>				
	Prepare and apply stain and polish to the following surfaces;				
Е	Doors girth greater than 300mm	43	m2		
	Door Jambs and linings isolated surface girths less than or equal to 300mm	56	m		
	WINDOWS AND DOORS BQ/FFWD/ 1	To Col	lection	BQ/FFWD/ Page 2	

						FIRST FLOOR
ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT Ja\$
	WINDOWS AND DOOR	oc.				
	WINDOWS AND DOOR	<u>79</u>				
	Collection 2					
	Total from BQ/FFWD/ Pag	ge 1				
	WINDOWS AND DOORS	BQ/FFWD/ 4		To C	General Summary	
	WILLDO WAS AIND DOORS	БQ/ГТ:₩D/ 4		100	Page BQ/GS/ 1	

FINISHES	

Q WALLING AND CEILING FINISHES Q20 Rendered Provisional Sum to be used as directed by the Architect/ Contract Administrator for rendering cement sand (1:3), 12mm thick in two coats (9mm&3mm) wood float finish to recieve painting						FIRST FLOOR
Provisional Sum to be used as directed by the Architect/ Contract Administrator for rendering cement sand. (1:3), 12mm thick in two coats (9mm&3mm) wood float finish to recieve painting. A Allow provisional sum for rendering and making good to general surfaces of walls. OSO Tiling Glazed tiles 6mm thick plain pattern work, to surfaces width greater than 300mm tiles laid in grid and seperated using 3mm spacers bedded in dyna bond grey thin-set sanded and dyna 1000 silver grey polymer- modified sanded portland cement tile grout to the following surfaces: Court Room #1 - Judge's Chambers Restroom B Rendered concrete or block walls 8 m2	ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
Contract Administrator for rendering cement sand (I:3), 12mm thick in two coats (9mm&3mm) wood float finish to receive painting. A Allow provisional sum for rendering and making good to general surfaces of walls. O50 Titing. Glazed tiles 6mm thick plain pattern work, to surfaces width greater than 300nm tiles laid in grid and seperated using 3mm spacers bedded in dyna bond grey thin-set sanded and dyna 1000 silver grey polymer- modified sanded portland cement tile grout to the following surfaces; Court Room #1 - Judge's Chambers Restroom B Rendered concrete or block walls 8 m2		<u>Q20 Rendered</u>				
Glazed tiles 6mm thick plain pattern work, to surfaces width greater than 300mm tiles laid in grid and seperated using 3mm spacers bedded in dyna bond grey thin-set sanded and dyna 1000 silver grey polymer-modified sanded portland cement tile grout to the following surfaces; Court Room #1 - Judge's Chambers Restroom B Rendered concrete or block walls 8 m2		Contract Administrator for rendering cement sand (1:3), 12mm thick in two coats (9mm&3mm) wood float				
Glazed tiles 6mm thick plain pattern work, to surfaces width greater than 300mm tiles laid in grid and seperated using 3mm spacers bedded in dyna bond grey thin-set sanded and dyna 1000 silver grey polymer-modified sanded portland cement tile grout to the following surfaces: Court Room #1 - Judge's Chambers Restroom B Rendered concrete or block walls 8 m2	A					\$ 230,000.00
width greater than 300mm tiles laid in grid and seperated using 3mm spacers bedded in dyna bond grey thin-set sanded and dyna 1000 silver grey polymer-modified sanded portland cement tile grout to the following surfaces: Court Room #1 - Judge's Chambers Restroom B Rendered concrete or block walls 8 m2		Q50 Tiling				
B Rendered concrete or block walls 8 m2		width greater than 300mm tiles laid in grid and seperated using 3mm spacers bedded in dyna bond grey thin-set sanded and dyna 1000 silver grey polymer-modified sanded portland cement tile grout to the				
		Court Room #1 - Judge's Chambers Restroom				
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2	В	Rendered concrete or block walls	8	m2		
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2						
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2						
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2						
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2						
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2						
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2						
WALL AND CEILING FINISHES BQ/FFWC/ 1 To Collection BQ/FFWC/ Page 2						
		WALL AND CEILING FINISHES BQ/FFWC/ 1	To Co.	llection	BQ/FFWC/ Page 2	

					FIRST FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	WALL AND CEILING FINISHES				
	Collection 3				
	<u>Conceion 5</u>				
	Total from BQ/FFWC/ Page 1				
				_	
	WALL AND CEILING FINISHES BQ	/FFWC/ 2	To G	eneral Summary	
				Page BQ/GS/ 2	

					FIRST FLOOR
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	<u>U PAINTING AND DECORATING</u> <u>U Painting</u>				
	Prepare and apply (2) coats of low sheen emulsion Berger or other equally approved to the following surfaces;				
	Court Room # 1				
A	Concrete or blockwalls	157	m2		
В	Drywalls	29	m2		
	Court Roomv #1 - Judges Chambers				
С	Concrete or blockwalls	114	m2		
D	Drywalls	25	m2		
	Court Room #1 - Judges Chambers Restroom				
Е	Concrete or blockwalls	10	m2		
	Court Administrator's Office				
F	Concrete or blockwalls	97	m2		
G	Drywalls	53	m2		
	Entrance to Court # 1				
Н	Concrete or blockwalls	106	m2		
	Prepare and apply two (2) coat oil gloss paint of "Berger 303" or other equally approved to the following wooden surfaces;				
	Court Room # 1				
J	Wooden ceiling	120	m2		
K	Mouldings to walls at ceiling level	36	m		
	PAINTING AND DECORATING BQ/FFPD/ 1	To Co	ollection	n BQ/FFPD/ Page 3	

					FIRST FLOOR
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	<u>U PAINTING AND DECORATING</u> <u>U Painting</u>				
	Prepare and apply two (2) coat oil gloss paint of "Berger 303" or other equally approved to the following wooden surfaces;				
	Court Room #1 - Judge's Chambers				
A	Wooden ceiling	120	m2		
В	Mouldings to walls at ceiling level	26	m		
C	Skirting to walls	26	m		
	Court Room # 1 - Judge's Chambers Restroom				
D	Wooden ceiling	38	m2		
Е	Mouldings to walls at ceiling level	5	m		
F	Skirting to walls	5	m		
	Court Administrator's Office				
G	Wooden ceiling	27	m2		
Н	Mouldings to walls at ceiling level	21	m		
J	Skirting to walls	21	m		
	Entance to Court Room # 1				
K	Wooden ceiling	120	m2		
L	Mouldings to walls at ceiling level	36	m		
M	Skirting to walls	36	m		
	PAINTING AND DECORATING BQ/FFPD/	2 To Co	ollection	BQ/FFPD/ Page 3	

					FIRST FLOOR
DESCRIPTION		QTY	UNIT	RATE	AMOUNT Ja\$
PAINTING AND DECORATIN	<u>IG</u>				
Collection 4					
Total from BQ/FFPD/ Page 1					
Total from BQ/FFPD/ Page 2					
PAINTING AND DECORATING	BQ/FFPD/ 3		To G	eneral Summary Page BO/GS/ 2	
	PAINTING AND DECORATING Collection 4 Total from BQ/FFPD/ Page 1	Collection 4 Total from BQ/FFPD/ Page 1 Total from BQ/FFPD/ Page 2	Collection 4 Total from BQ/FFPD/ Page 1 Total from BQ/FFPD/ Page 2	Collection 4 Total from BQ/FFPD/ Page 1 Total from BQ/FFPD/ Page 2	PAINTING AND DECORATING Collection 4 Total from BQ/FFPD/ Page 1 Total from BQ/FFPD/ Page 2

ENGINEERING SERVICES

			EERING SERVICES		
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT Ja\$
	S ENGINEERING SERVICES Cont'd				
	S13 Electrical Installation Cont'd				
	510 Bicenteur Instantation Com a				
	Court Room # 1				
A	Supply and install white industrial 3-blade industial fans w/56" span	4	No.		
	w/ 50 Span				
	ENGINEERING SERVICES BQ/ES/ 1	т.	Collas	otion BO/ES/ mass 2	
	ENGINEERING SERVICES BQ/ES/ 1	10	Conec	etion BQ/ES/ page 2	

			ENGINEERING SERVICES			
ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT Ja\$
	ENGINEERING SERVICES					
	Collection 5					
	Total from BQ/ES/ Page 1					
	ENGINEERING SERVICES	BQ/ES/ 2		To G	eneral Summary Page BQ/GS/ 1	

GENERAL SUMMARY	

_				ENERAL SUMMA
M	DESCRIPTION GENERAL SURVIVANIA	QTY UNIT	RATE	AMOUNT Ja\$
	GENERAL SUMMARY			
	PRELIMINARIES	BQ/ P/ 12		
,	SPOT ITEMS	BQ/ D/ 3		
ŀ	COUND FLOOR	4		
	GOUND FLOOR			
	Joinery	BQ/ J/ 3		
	Doors & Windows	BQ/WD/5		
-	Doors & Windows			
	FINISHES			
	Floor Finishes	BQ/ FF/ 2		
	Wall and Ceiling Finishes	BQ/ WC/ 3		
	wan and coming I misnes			
	PAINTING AND DECORATING	BQ/ PD/ 6		
	PLUMBING INSTALLATION	BQ/ PL/ 3		
	ENGINEERING SERVICES	BQ/ES/2		
ľ	21,02,02,02,02,02			
	FIRST FLOOR			
	•			
	Joinery	BQ/ FFJ/ 4		
	Doors & Windows	BQ/ FFWD/ 2		
-	FINISHES			
	W. H. J.G. T. Fr. J.	DO (FFFY) C/C		
	Wall and Ceiling Finishes	BQ/ FFWC/ 3		
	PAINTING AND DECORATING	BQ/ FFPD/ 3		
	ENGINEERING SERVICES	BQ/ FFES/ 2		
		[
	BQ/GS/	<u> </u>	C. fwd	

Ministry of Justice 61 Constant Spring Road, Kingston 10

					ENERAL SUMMARY
ITEM		QTY	UNIT	RATE	AMOUNT Ja\$
	GENERAL SUMMARY cont'd				
				B. fwd	
	Sub-total Sub-total				
	Sub total				
	Fixed contigencies of \$2,500,000.00 (To be used as			\$ 2,500,000.00	
	directed by the Contract Administrator/ Architect/ Client)				
	Chent)				
	TOTAL PROJECT ESTIMATE				
	BQ/ GS/ 2	1			